

# Table of Contents

Dedication 111	1.14 Simplified Selection Process 27
Table of Contents v	1.15 Optimizing Performance 28
Preface xv	1.16 Mass Finishing Conversion factors 29
Acknowledgements xvii	1.17 References 29
Introduction xix	1.18 Bibliography 30
1 MASS FINISHING ECONOMICS 1	2 EDGE REQUIREMENTS 31
1.1 Today's Costs of Deburring 1	2.1 Edge Requirements: issues and Problems 31
1.2 Brood Shop View 1	2.1.1 Problem 1: Diverse Definitions or Burr Results in Unwarranted Rejection or Acceptance of Parts 32
1.3 The Operator View 2	2.1.2 Problem 2: Lock of Understanding of Edge Needs Causes Overzealous Deburring 32
1.4 Evaluating the Cost of Mass Finishing Equipment 2	2.1.3 Problem 3: Oral Standards Change with Time and Observer 32
1.5 Operational Costs 6	2.2 Edge Standards 32
1.5.1 Deburring Economic Calculations 7	2.2.1 Reasons to Adopt Edge Standards 32
1.5.2 Perform Media Wear and Performance Studies 11	2.2.2 Existing Edge Standards 34
1.5.3 The Cost of Doing Nothing 11	2.2.3 Requirements for Good Edge Standards 34
1.5.4 The Impact of Costs on Budgets 11	2.2.4 Content of Good Edge Standards 34
1.5.5 Scrap and Rework Costs 12	2.3 Sample Standard for Edges and Burrs 35
1.5.6 Process Development Costs 12	2.4 Dictionaries For Edge and Burr Technology 44
1.6 Calculating Capacity for Mass Finishing Operations 14	2.4.1 Dictionaries for the Shop 44
1.6.1 The Rotary Barrel 14	2.4.2 Dictionaries for Researchers 44
1.6.2 The Centrifugal Barrel 15	2.4.3 Dictionaries for Scientists and Theorists 44
1.6.3 The Tub Vibrator 15	2.5 How Do Standards Apply to Mass Finishing? 45
1.6.4 The Round Vibrator 16	2.6 Key Points of Edge Requirements and Standards 45
1.6.5 Centrifugal Disk Machines 16	2.7 Glossary 46
1.6.6 Materials Handling 17	2.7.1 Burr and Edge Terminology 46
1.7 The Mathematics of Part Dimensions 17	2.8 References 48
1.7.1 Stocked Volumes 17	2.9 Bibliography 49
1.7.2 Minimum Rotational Volume 18	
1.7.3 Average Rotational Volume 18	3 SURFACE REQUIREMENTS 51
1.7.4 Effect of Media Size 19	3.1 Definition of Surface Finish 51
1.7.5 The Rotational Volume (RV) Factor 19	3.2 Surface Finishing vs. Deburring 54
1.8 The Mathematics of Production 20	3.3 Finish on Surfaces vs. Finishes on Edge Chamfers and Breaks 55
1.8.1 Parts Processed per Cubic Foot 21	3.4 Finish as a Function of Manufacturing Process 55
1.8.2 Production Rate 21	3.5 Surface Finish vs. Nicks, Dings and Pits 56
1.8.3 Allowonce Factor 22	3.6 External Finish vs. Internal Finishes 56
1.8.4 Equipment Working Capacity Required 22	3.6.1 Handling Damage vs. Process Ability 56
1.8.5 Number of Ports Processed. per Cycle 23	3.7 Protect the Finish When You Get It 56
1.8.6 Calculating Plant Capacity 24	3.8 Surface Integrity 58
1.9 Consumables 24	3.9 References 58
1.10 Labor Costs 25	
1.11 Equipment Costs 25	4 PROCESS SIDE EFFECTS 61
1.12 Some Comparisons of Process Finishing Times 25	4.1 Rounding and Blunting Edges 61
1.13 Considerations Other than Capacity 25	4.2 Port Dimensions Will Change from Mass Finishing 63
1.13.1 Process Speed 26	4.3 Surface Finishes Will Change from Mass Finishing 63
1.13.2 Media and Compound Efficiency 26	4.3.1 Dimensional Tolerances versus Surface
1.13.3 Direct Labor Required 27	
1.13.4 Very Large and Very Small Ports 27	
1.13.5 Floor Space 27	

- Texture 64
- 4.4 Mass Finishing Compacts Surface "Pores" 64
- 4.5 Mass Finishing Cleans Oily and Dirty Surfaces 65
- 4.6 Mass Finishing Con Contaminate Materials 65
- 4.7 Mass Finishing Removes Thin Oxides and Heavy Rust Scale 66
- 4.8 Mass Finishing Changes Flatness 66
- 4.9 Mass Finishing Prevents Electroplating Adhesion if Wrong Media or Soaps Are Used 67
- 4.10 Mass Finishing Prevents Soldering if Aluminum Oxide Is Used 68
- 4.11 Mass Finishing Causes Blowholes in Welded Joints (If Wrong Abrasives Are Used) 68
- 4.12 Mass Finishing Creates Large Compressive Stresses 68
- 4.13 Mass Finishing Con Improve Fatigue Life 69
- 4.14 Mass Finishing Causes Dings Scratches, and Dents 69
- 4.15 Mass Finishing Improves or Worsens Corrosion Rates 69
- 4.16 Mass Finishing Changes Port Color 70
- 4.17 Mass Finishing Changes Luster 70
- 4.18 Mass Finishing Con Leave Media Inside Parts 70
- 4.19 Shop Experience 70
- 4.19.1 Impregnated Material 70
- 4.19.2 Cleaning 73
- 4.19.3 Removing Impregnated Material and Surface Residues 74
- 4.20 Decontamination 75
- 4.21 Preventing Media Lodging 75
- 4.21.1 Typical Solutions 75
- 4.21.2 Predicting the Lodging Problem 75
- 4.21.3 Plugging the Holes 78
- 4.22 Balancing All the Effects 83
- 4.22.1 Matching Media to Product Needs 83
- 4.23 Other 85
- 4.24 Multiple Steps Resolve Potential Problems 87
- 4.25 References 89
- 4.26 Bibliography 90
  
- 5 THE IMPACT OF BURR SIZE AND PART DEFINITION 91
- 5.1 effects of Burr Size 91
- 5.2 Effects of Port Geometry 93
- 5.2.1 Design to Allow More Deburring Process Choices 93
- 5.2.2 Design Ports for Mass Finishing 95
- 5.2.3 Design Tolerance, Surface Finish, and Aesthetics to Accommodate Deburring 100
- 5.3 Selecting a Method: A Step-by- Step Guide 107
- 5.4 Design Ports to Make Burrs and Flash More Accessible 108
- 5.5 References 109
- 5.6 Bibliography 110
  
- 6 MEDIA 111
- 6.1 Selection of Media ill
- 6.1.1 Media Composition III
- 6.1.2 Media Shope 112
- 6.1.3 Media Size 116
- 6.1.4 Media Weight 116
- 6.1.5 Media Capability 116
- 6.1.6 Versatility 117
- 6.1.7 Economy 117
- 6.1.8 Availability 117
- 6.2 Types of Media Material (Composition) 117 7
- 6.2.1 Natural Abrasives 117
- 6.2.2 Agricultural and Wood Products 118
- 6.2 ' 3 Synthetic Random Media 118
- 6.2.4 Preformed Media 118
- 6.2.5 Metallic Media 120
- 6.2.6 Metal rocks, Pins, Screws, and Brads 122
- 6.2 7 Rubber Forms 122
- 6.2 8 Ice-Bonded Media 122
- 6.2 9 Dry Ice Media 122
- 6.2 10 Other Media 122
- 6.3 Effect of Media Shope 123
- 6.4 Effect of Groin Size 124
- 6.5 Ratio of Media to Workpieces 124
- 6.6 Media Are Not All the Some 124
- 6.7 Chip Lodging 124
- 6.8 Reducing Media Costs by Wear Studies 125
- 6.9 Mathematics of Media Properties 127
- 6.9.1 Specific Gravity of Media 127
- 6.9.2 Bulk Density of Media 127
- 6.9.3 Wear Rate of Media vs. Speed 128
- 6.9.4 Hours of Operational Use of Media '128
- 6.9.5 Media West Rate from Dimensional Changes 128
- 6.9.6 Media Wear Rate from Weigh[ Changes 128
- 6.9.7 Multiple Media Steps 128
- 6.9.8 Conversion of Media Wear Rates 129
- 6.10 Testing Mass Finishing Media 129
- 6.10.1 Test Variables 129
- 6.10.2 Equipment 130
- 6.10.3 Solutions Systems 131
- 6.10.4 Recommendations for Good Media Test Procedures 133
- 6.10.5 Is a Media Test Really the Answer to the Problem? 138
- 6.11 Practical Hints 140
- 6.12 Estimating Ports per Load 142
- 6.12.1 General Media Rules 142
- 6.13 Troubleshooting 143
- 6.14 Environmental, Health, and Safety 144
- 6.15 References 144
- 6.16 Bibliography 145
  
- COMPOUND SOLUTIONS FOR MASS FINISHING 147
- 7.1 Compounds vs. Compound Solutions 147
- 7.2 Dry or Liquid Compounds 148

# Mass Finishing Handbook by LaRoux Gillespie

- 7.3 Cleaning Functions 148
  - 7.4 Types (Functions) of Compounds 148
  - 7.5 Abrasives in Compounds 148
  - 7.6 Chemical Actions in Compounds 151
    - 7.6.1 Water 151
    - 7.6.2 Sequestrant 151
    - 7.6.3 Builder 151
    - 7.6.4 Detergents 151
    - 7.6.5 Coupling Agents 151
    - 7.6.6 Abrasives 151
    - 7.6.7 PH Control Agents 151
    - 7.6.8 Emulsifiers 151
    - 7.6.9 Foam Control Agents 152
    - 7.6.10 Lubricity Control 152
    - 7.6.11 Anti -Redeposition Agents 152
    - 7.6.12 Coloring Agents 152
    - 7.6.13 Bleaching Agents 152
    - 7.6.14 Softening Agents 152
    - 7.6.15 Soil Suspension 153
    - 7.6.16 Wetting 153
    - 7.6.17 Inhibition 153
    - 7.6.18 Lubricity 154
  - 7.7 Impact of Compounds in Specific Applications 154
    - 7.7.1 Impact by Metal Type 154
    - 7.7.2 Impact by Finishing Function 155
    - 7.7.3 General Compound Considerations 157
  - 7.8 Self-Tumbling Solutions 157
  - 7.9 Applying Compounds 157
    - 7.9.1 Concentration and Flow Rates 158
  - 7.10 Mathematics of Compound Usage 158
    - 7.10.1 Concentration 158
    - 7.10.2 Flow Rates 158
    - 7.10.3 Flow in Pre-Mix Tanks 159
  - 7.11 Compounds for Plastics 160
  - 7.12 Process Control 160
    - 7.12.1 Concentration Control 160
    - 7.12.2 Concentration Measurement 161
    - 7.12.3 Compound Metering Systems 161
  - 7.13 Compound Economics 162
    - 7.13.1 Compound Supplier Reliability 163
  - 7.14 Compound Application Methods 163
    - 7.14.1 Botch 163
    - 7.14.2 Recirculation 163
    - 7.14.3 Flow-Through Compounding 166
  - 7.15 Compound Equipment 167
  - 7.16 Problem Solving 167
  - 7.17 Conclusions 168
  - 7.18 Environmental, Health, and Safety 168
  - 7.19 References 169
  - 7.20 Bibliography 169
- 8 Barrel TUMBLING 171
    - 8.1 Operating Principle 171
    - 8.2 Equipment Used 172
      - 8.2.1 Triple Action Barrels 174
      - 8.2.2 Vibratory Barrels 174
    - 8.3 Process Variables 174
      - 8.3.1 Rotation Preferred Speeds 175
    - 8.4 Tumbling with Metal Forms 178
    - 8.5 Operation 178
      - 8.5.1 First Time Runs 178
    - 8.6 Calculating Net Capacity of a Barrel 180
      - 8.6.1 Determining Load Size 181
    - 8.7 Operating Costs 181
    - 8.8 Impact of Port Hardness 181
    - 8.9 Troubleshooting 182
    - 8.10 Dry Operations 183
    - 8.11 Self-Tumbling 183
    - 8.12 Fixtured parts 183
    - 8.13 Use Multiple Cycles 184
    - 8.14 Test Ideas on Smell Barrels for Short Times 184
    - 8.15 Maintenance 185
    - 8.16 Finishing Large Ports 185
    - 8.17 Finishing Fragile Ports 185
    - 8.18 Deflashing Plastic Ports 185
    - 8.19 Novel Approaches 185
    - 8.20 Deburring while Plating 186
    - 8.21 Screw Rotor Barrel Tumbling 186
    - 8.22 Environmental, Health, and Safety 188
    - 8.23 References 188
    - 8.24 Bibliography 189
  - CENTRIFUGAL Barrel DEBURRING 193
    - 9.1 Machine Designs 193
    - 9.2 Operating Principles 193
    - 9.3 Process Advantages 195
    - 9.4 Process Variables 195
    - 9.5 Applications 199
    - 9.6 Dry Processing 200
    - 9.7 Operating Thoughts 202
    - 9.8 Process Capability 202
      - 9.8.1 Basic Media Effects 202
      - 9.8.2 Edge Radii 203
      - 9.8.3 Surface Roughness 205
      - 9.8.4 Stock Removal 205
      - 9.8.5 Media Wear 206
    - 9.9 Basic Port Influences 207
      - 9.9.1 Edge Radii 207
      - 9.9.2 Stock Loss 212
      - 9.9.3 Repeatability of Stock Loss 214
      - 9.9.4 Effect of Port Size on Finishing 214
    - 9.10 Using the Results in Production 216
    - 9.11 Effect of Burr Size on Deburring 218
    - 9.12 Observations on Production Ports 221
    - 9.13 Effects of Piece Part Geometry 225
    - 9.14 Operational Costs 225
    - 9.15 Steps for Determining the Right Operating Conditions for Centrifugal Barrel Tumbling 226
      - 9.15.1 Part Needs 226
      - 9.15.2 Capacity Calculations 226
      - 9.15.3 During Operation 227
      - 9.15.4 Sample Operation Instructions 227
    - 9.16 Additional Considerations 228

- 9.17 Self-Tumbling 229
- 9.18 Finishing Large Ports 229
- 9.19 Deflashing Plastics and Rubber Ports 229
- 9.20 Case History 229
  - 9.20.1 Reed Valve Details 229
  - 9.20.2 Heat 229
  - 9.20.3 Bending 230
  - 9.20.4 Corrosion 230
- 9.21 Automation 230
- 9.22 Troubleshooting 230
- 9.23 Environmental, Health, and Safety 232
- 9.24 References 233
- 9.25 Bibliography 234
  
- 10 VIBRATORY FINISHING 937
  - 10.1 Equipment Basics 237
    - 10.1.1 Tub-Type Vibratory Equipment 237
    - 10.1.2 Round Bowl Equipment 241
    - 10.1.3 Tubular Machines 242
    - 10.1.4 Stocks of Tub Machines 245
    - 10.1.5 Vibratory Shaker Mixer Deburring 245
  - 10.2 Machine Basics 246
  - 10.3 Machine Variables 246
    - 10.3.1 Dryers 247
    - 10.3.2 Continuous Machines 247
    - 10.3.3 Multiple Pass Designs 248
    - 10.3.4 Bench Top Units 249
    - 10.3.5 General Considerations 249
    - 10.3.6 Channel Cross-Sections 249
    - 10.3.7 Amplitude and Speed Adjustments 250
    - 10.3.8 Vibrator Details 251
    - 10.3.9 Liner Material 251
  - 10.4 Methods of Part and Media Separation 252
  - 10.5 Continuous Equipment 252
  - 10.6 Fixtured Ports and Compartmented Machines 254
    - 10.6.1 Fixtured Ports 255
    - 10.6.2 Compartmented Approaches 257
  - 10.7 Boll Burnishing Equipment Considerations 257
  - 10.8 Automation 258
  - 10.9 Unique Machines 259
    - 10.9.1 Combined Vibratory and Blasting Operations 259
    - 10.9.2 Vibratory Blasting Equipment 259
    - 10.9.3 Combined Vibratory and Centrifugal Machines 260
    - 10.9.4 Combined Vibratory and Spindle Finishing 260
    - 10.9.5 Combined Vibratory, Spindle, and Electrolytic Finishing 260
  - 10.10 Media Shape Effects 260
  - 10.11 Self-Tumbling 261
  - 10.12 Finishing Large Parts 262
  - 10.13 Finishing Small ports 262
  - 10.14 Dry Tumbling 263
  - 10.15 Deflashing Plastics and Rubber Ports 263
  - 10.16 Deflashing Ceramic Ports 263
  - 10.17 Process Variables 263
  - 10.18 Empirical Guidelines for Calculating Cycle Times 264
  - 10.19 Vibratory Finishing Capabilities 265
    - 10.19.1 Deburring 266
    - 10.19.2 Edge Radii 269
    - 10.19.3 Repeatability of Edge Finishing 271
    - 10.19.4 Corner Radii vs Edge Radii 273
    - 10.19.5 Surface Finish 276
    - 10.19.6 Size Changes 277
  - 10.20 Case Histories 279
    - 10.20.1 Turbine Engine Blades 279
    - 10.20.2 Milled Slots 280
    - 10.20.3 Smudges 280
    - 10.20.4 Flatness Changes 281
    - 10.20.5 A General Quantitative Approach for Defining Deburring Capabilities 281
  - 10.21 The Mathematics of Vibratory Capacity 282
  - 10.22 Operational Costs 284
  - 10.23 How to Get Started 284
    - 10.23.1 Process Steps in Vibratory Finishing-Port: Needs 284
      - 10.23.2 During Operation 286
    - 10.24 Troubleshooting 286
      - 10.24.1 Unacceptable Results 287
      - 10.24.2 Change the Sequence of Machining and Deburring 288
      - 10.24.3 Corrosion on Parts 288
      - 10.24.4 Media Lodging 288
    - 10.25 Document Operations and Results 288
    - 10.26 Media Storage 289
    - 10.27 Maintenance 289
      - 10.27.1 Ask Before Purchasing 289
      - 10.27.2 Check the Liner 289
    - 10.28 Environmental, Health, and Safety 290
    - 10.29 References 290
    - 10.30 Bibliography 292
  
- 11 CENTRIFUGAL DISK (ROLL FLOW FINISHING) 995
  - 11.1 Operating Principles 295
  - 11.2 Process Advantages 296
  - 11.3 Limitations 297
  - 11.4 Equipment 297
  - 11.5 Applications 299
    - 11.5.1 Case History 299
  - 11.6 Dry Centrifugal Disk Finishing 300
    - 11.6.1 Dry Media 302
  - 11.7 Operating Costs 304
  - 11.8 Environmental, Health, and Safety 305
  - 11.9 References 305
  - 11.10 Bibliography 305
  
- 12 ORBORESONANT FINISHING 307
  - 12.1 Troubleshooting 308
  - 12.2 Environmental, Health, and Safety 308

- 12.3 References 308
- 12.4 Bibliography 308
  
- 13 SPINDLE FINISHING 309
  - 13.1 Conventional Spindle Finishing 309
  - 13.2 High-Pressure Spindle Finishing 311
  - 13.3 Continuous Spindle Finishing 312
  - 13.4 Typical Applications 312
  - 13.5 Media and Compounds 315
  - 13.6 Impact of High Velocity 316
    - 13.6.1 Jumping of Abrasives Reduces Cutting 316
    - 13.6.2 Cutting Efficiency Is Lowered at High Velocities 317
    - 13.6.3 Machine Rigidity Is Needed at High Velocities 317
    - 13.6.4 Handling Danger Increases at High Speeds 317
  - 13.7 Case Histories 317
    - 13.7.1 Machined Steel Case 317
    - 13.7.2 Precision Deburring for a Shaft Having an Offset Portion 318
  - 13.8 Operational Experiences 319
  - 13.9 Variations of Spindle Finishing 320
    - 13.9.1 Fluidized Bed Spindle Finishing 320
    - 13.9.2 Vibratory Spindle Finishing 321
    - 13.9.3 Chemical Spindle Finishing 321
    - 13.9.4 Cryogenic Spindle Finishing 321
    - 13.9.5 Magnetic Abrasive Spindle Finishing 321
    - 13.9.6 Immersion Lapping 321
    - 13.9.7 Homemade Versions 321
    - 13.9.8 Spin Finishing 322
    - 13.9.9 Spindle Drag Finishing 322
  - 13.10 Operational Costs 323
  - 13.11 Environmental, Health, and Safety 323
  - 13.12 References 323
  - 13.13 Bibliography 324
  
- 14 DRAG FINISHING (FLOW FINISHING/RRCTRRCK FINISHING) 395
  - 14.1 Machine Description 326
  - 14.2 Application 327
  - 14.3 Workpiece Size 328
  - 14.4 Cycle Time 328
  - 14.5 Limitations 328
  - 14.6 Size Change 328
  - 14.7 Surface Finish 329
  - 14.8 Use 329
  - 14.9 Environmental, Health and Safety 330
  - 14.10 References 330
  
- 15 IMMERSION LAPPING 331
  - 15.1 References 332
  
- 16 FLUIDIZED BED FINISHING (TURBO-ROSSIVE FINISHING) 333
  - 16.1 Metal Removal Rate 334
  - 16.2 Deburring and Rounding 334
  - 16.3 Surface Finish and Side Effects 337
  - 16.4 Media 338
  - 16.5 Equipment 338
  - 16.6 Process Advantages 338
  - 16.7 Applications 339
  - 16.8 References 340
  - 16.9 Bibliography 340
  
- 17 RECIPRO-FINISHING 343
  - 17.1 Surface Finish 343
  - 17.2 Workpiece Size 344
  - 17.3 Limitations 344
  - 17.4 Size Change 345
  - 17.5 References 347
  
- 18 CHEMICAL LOOSE ABRASIVE FINISHING 349
  - 18.1 Barrel Applications 349
  - 18.2 Vibratory Applications 350
    - 18.2.1 Approach A: Chemical Action Alone 351
    - 18.2.2 Approach B: Removal with Vibration Only 352
    - 18.2.3 Approach C: Chemical plus Vibratory 352
    - 18.2.4 Case I-Normal Production 354
    - 18.5.2 Case II-Chemical Added for final 15 Minutes 354
    - 18.2.6 Case III-Normal Production 354
    - 18.2.7 Case IV-Belt Sanded, Then Vibratory 354
  - 18.3 Chemically Accelerated Centrifugal Barrel Finishing 355
    - 18.3.1 Jewelry 355
    - 18.3.2 Auto Parts 355
    - 18.3.3 Razor Blades 355
    - 18.3.4 Hardened Textile Spinning Rings 355
    - 18.3.5 Industrial Sewing Needles 355
    - 18.3.6 Equipment Modification 355
  - 18.4 Procedure for Evaluation 355
  - 18.5 Environmental, Health, and Safety 356
  - 18.6 References 356
  - 18.7 Bibliography 357
  
- 19 CRYOGENIC LOOSE ABRASIVE FINISHING 359
  - 19.1 Size, Shape, and Material of Ports 359
  - 19.2 Flash 360
    - 19.2.1 Flash Thickness 360
  - 19.3 Burrs 360
  - 19.4 Embrittlement Point 360
  - 19.5 Cryogenic Equipment 360
    - 19.6.1 Chemical Characteristics 363
    - 19.6.2 Physical Characteristics 363
    - 19.6.3 Physical Properties 363
  - 19.7 Tumbling Media 363
  - 19.8 Relationship of Embrittlement Temperature and Material 364
  - 19.9 Nitrogen vs. Carbon Dioxide 364
  - 19.10 Cryogenics as a Preventative Measure 365
  - 19.11 Cryogenic Barrel Tumbling 365
  - 19.12 Economics 365

- 19.13 Trial Control Settings 368
- 19.14 Interpreting Trial Results 368
- 19.15 Prefreezing Ports 369
- 19.16 Preventing Floss 369
- 19.17 Environmental, Health, and Safety 369
- 19.18 References 369
- 19.19 Bibliography 369
  
- 20 MRONCTIC-RORRSIVE FINISHING 371
- 20.1 MogneLic-Abrosive Barrel Finishing 371
- 20.2 MogneLic-Abrosive Cylindrical Finishing 373
  - 20.2.1 Details for Cylindrical Ports 374
  - 20.2.2 Distribution of Magnetic Field Strength and Operation of Abrasive Grain in the Working Zone 374
  - 20.2.3 Experimental Confirmation of Mognetic-Abrosive Finishing - Measurement of Finishing Pressure 375
  - 20.2.4 Design of Experimental Apparatus 375
  - 20.2.5 Test Results 376
  - 20.2.6 Mognek- Abrasive Finishing Characteristics 378
- 20.3 Edge Finishing Applications 378
  - 20.3.1 Other Applications 381
- 20.4 Surface Finishing and Form Accuracy Improvement 381
- 20.5 Cylindrical Magnetic Abrasive Finishing Equipment 382
- 20.6 Automatic Equipment for Sewing Machine Ports 383
- 20.7 Mognetic-Abrosive Boll Finishing (Spherical Surfaces) 383
- 20.8 MogneLic-Abrosive Tube Finishing 384
- 20.8j Magnetic Force Acting on the Magnetic-Abrasive 385
  - 20.8.2 Effects of Pole RotoLionol Speed 386
- 20.9 Applications 387
  - 20.9.1 Mognetic-Abrosive Finishing of Hydraulic Gear Pump Gears 387
  - 20.9.2 Silicon Nitride Bolls 387
  - 20.9.3 Sheet MeLol Ports 388
  - 20.9.4 Other Applications 388
- 20.10 Mognetic-Abrosive Prismatic Finishing 388
  - 20.10.1 MogneLic Attraction 389
  - 20.10.2 Centrifugal Force 389
  - 20.10.3 Domoge-Free Dressing of Grinding Wheels 390
- 20.11 Abrasives for Magnetic- Abrasive Finishing 390
  - 20.11.1 Mixed Media Chacteristics 395
  - 20.11.2 Metal Fiber Media 395
- 20.12 Magnetic Abrasives Spindle Finishing 395
- 20.13 Magnetic Float Polishing 396
  - 20.13.1 Abrasives 397
  - 20.13.2 Polishing Condbons 398
- 20.14 Environmental, Health, and Safety 399
- 20.15 References 399
- 20.16 Bibliography 401
  
- 11 CHEMICAL MAGNETIC AND ELECTROCHEMCIAL MAGNETIC LOOSE ABRA-SIVES FINISHING 405
  - 21.1 Chemical Magnetic Finishing (Polishing) 405
  - 21.2 Magnetic Electrochemical Abrasive Finishing 406
  - 21.3 Environmental, HeolLh, and Safety 406
  - 21.4 References 406
  
- 22 ELECTROCHEMCIAL MASS FINISHING 407
  - 22.1 Electrochemical Barrel Finishing 407
    - 22.1 .1 Machining Principles 407
    - 22.1.2 EC8 Operation 408
  - 22.2 Electrochemical Vibratory Deburring 412
  - 22.3 ElecLrochemical Vibratory Spindle Finishing 412
  - 22.4 EnvironmenLol, Safety, and HeolLh 412
  - 22.5 References 412
  - 22.6 Bibliography 412
  
- 23 CASCADE FINISHING 413
  - 23.1 Operation 413
  - 23.2 Process Equipment 414
    - 23.2.1 MODEL 20 414
    - 23.2.2 MODEL 50 415
    - 23.2.3 MODEL 100 415
  - 23.3 Results of Port Trials 416
  - 23.4 References 418
  - 23.5 Bibliography 418
  
- 24 ANCILLARY EQUIPMENT 419
  - 24.1 Mochine-Reloted Items 419
    - 24.1.1 Integral Separation Docks 419
    - 24.1.2 Noise Suppressors 419
    - 24.1.3 Media Return Conveyors 422
    - 24.1.4 Tub Liners 422
    - 24.1.5 Central Lubrication Systems 422
    - 24.1.6 System Controllers 422
    - 24.1.7 Timers 423
    - 24.1.8 Run Time Meter 423
    - 24.1.9 Tub or Bowl Dividers 423
    - 24.1.10 Port OrienLers for Next Operation 423
    - 24.1.11 Dust Collection (for Dry Operation) 423
  - 24.2 Medio-ReloLed Items 423
    - 24.2.1 Media Movement Devices 423
    - 24.2.2 Screening/Separating Devices 424
    - 24.2.3 Media Storage Bins 425
  - 24.3 Compound Solution Items 425
  - 24.4 PorL-ReloLed Items 425
    - 24.4.1 Port Containers 425
    - 24.4.2 Oil Removal System (from Ports) 426
    - 24.4.3 Port Counters 426
    - 24.4.4 Part Weighing Devices 426
  - 24.5 Secondary Operations 426
    - 24.5.1 Port Cleoning 426
    - 24.5.2 Oiling/Rust Prevention Station 426
    - 24.5.3 Drying 426

- 24.6 Operator-Related Items 427
  - 24.6.1 Video Camera 427
  - 24.6.2 Inspection Needs 427
- 24.7 Waste Removal 428
  - 24.7.1 Planning for Wastes 428
  - 24.7.2 Sludge 428
  - 24.7.3 Equipment Selection 435
- 24.8 Impact of Regulatory Requirements on Equipment 436
- 24.9 Environmental, Health, and Safety 436
- 24.10 References 436
- 24.11 Bibliography 436
  
- 25 AUTOMATION 439
  - 25.1 Part Processing 439
  - 25.2 Automation vs. Flexible Finishing Systems 441
  - 25.3 Part Delivery and Removal 441
  - 25.4 Compound Delivery 441
  - 25.5 Media Control and Part Separation 441
  - 25.6 Subsequent Operations 442
  - 25.7 Part Administration 442
  - 25.8 Operator Considerations 442
  - 25.9 References 443
  - 25.10 Bibliography 443
  
- 26 ENVIRONMENTAL, HEALTH, SAFETY, AND ERGONOMICS 445
  - 26.1 Safety 445
  - 26.2 Environmental Issues 446
  - 26.3 Ergonomics 446
  
- 27 INCREASING DEBURRING EFFICIENCY AND QUALITY 447
  - 27.1 The Real Edge Requirements 447
  - 27.2 Fix the Burr Before You Fix the Process 448
    - 27.2.1 Checklist for Minimizing Deburring Costs 448
  - 27.3 Optimize Process Knowledge 448
  - 27.4 Design to Allow More Process Choices 450
    - 27.4.1 Design for Mass Finishing 450
    - 27.4.2 Removing Sharp Edges 450
  - 27.5 Problem Solving in Mass Finishing 452
    - 27.5.1 Possible Causes of Problems 452
    - 27.5.2 Solving the Problems of Finishing 453
  - 27.6 Fixture to Speed Output 454
  - 27.7 General Problem Solving 455
    - 27.7.1 Root Cause Problem Solving 455
    - 27.7.2 Kepner-Tregoe Problem Solving 456
    - 27.7.3 The "What Changed?" Approach 456
    - 27.7.4 Other Tools 456
  - 27.8 Optimizing the Operation 456
    - 27.8.1 Value Engineering 456
    - 27.8.2 Statistical Design of Experiments 456
    - 27.8.3 Taguchi Analysis 457
    - 27.8.4 Response Surface Methodology 457
    - 27.8.5 Six Sigma Techniques 457
  - 27.9 Operating Cost Comparisons 457
  - 27.10 References 458
  
- 27. 11 Bibliography 458
  
- 28 PLANT LAYOUT CONSIDERATIONS 459
  - 28.1 Floor Layout 459
  - 28.2 Utilities 462
  - 28.3 Vibration Isolation 462
  - 28.4 Effluent Considerations 463
    - 28.4.1 Sludge Catcher 463
    - 28.4.2 Sewer Considerations 464
  - 28.5 Cellular Operation 464
  - 28.6 References 464
  - 28.7 Bibliography 464
  
- 29 INSPECTING FOR BURRS AND SHARP EDGES 465
  - 29. 1 Burr and Edge Standards 465
  - 29.2 Inspection Approaches 466
    - 29.2.1 Tool Methods 467
    - 29.2.2 Visual Methods 469
    - 29.2.3 Lighting for Visual Inspection 473
    - 29.2.4 Importance of Clean Ports for Visual Burr Inspection 477
    - 29.2.5 Measuring Microscopes 477
    - 29.2.6 Relicules for Microscopes 477
  - 29.3 Mechanically Gaged Methods 477
    - 29.3.1 Plug Gage for Burr Height Measurement 477
    - 29.3.2 Micrometers 478
    - 29.3.3 Height Gage and Indicator 478
    - 29.3.4 Bench-Type Dial Gage 478
    - 29.3.5 Stocked Part Gage 478
    - 29.3.6 Combination Approaches 478
  - 29.4 Functional Testing 479
    - 29.4.1 Fluid-Flow Trajectories 479
    - 29.4.2 Sharp-Edge Tester 479
    - 29.4.3 Profilometer Methods 479
  - 29.5 Destructive Methods 480
    - 29.5.1 Metallographic Section 480
    - 29.5.2 Metallographic Topper Section 481
  - 29.6 Replica Methods 481
  - 29.7 Electrical Methods 481
    - 29.7.1 Electrical Contact 482
    - 29.7.2 Capacitive Methods 482
  - 29.8 Combinations of Inspection Approaches 482
  - 29.9 Consistency in Use 482
  - 29. 10 Training Workers and Inspectors 483
    - 29. 10.1 The Course 483
    - 29.10.2 Visual Ability 483
    - 29.10.3 Feedback 483
    - 29.10.4 Ports 483
    - 29.10.5 Pseudo-Burrs 483
  - 29.11 Calibration of Burr Inspection Techniques 484
    - 29.11 .1 Pseudo-Burrs 484
    - 29.11.2 Gage ColibroLion 485
    - 29.11.3 Colibrobon with Customer Expectation and Procke 485
  - 29.12 Which Edge Characteristics Should be Measured? 485

29.13 One Measurement is Not Enough	485
29.14 Measurement Copability Studies	486
29.15 Documentation	486
29.15.1 Results	486
29.15.2 Training	486
29.15.3 Calibration	486
29.15.4 Inspection Performed	486
29.16 The Burr Inspector	486
29.17 The Microburr	486
29.18 References	487
29.19 Bibliography	488
Appendix	491
Index	495